7-16 DIN Male for 3/8 in FSJ2-50 cable



OBSOLETE

This product was discontinued on: March 21, 2013

Replaced By:

F2TDF-PL 7-16 DIN Female Positive Lock for 3/8 in FSJ2-50 cable

F2TDM-PL 7-16 DIN Male Positive Lock for 3/8 in FSJ2-50 cable

Product Classification

Product Type Wireless and radiating connector

Product Brand HELIAX®

General Specifications

Body StyleStraightCable FamilyFSJ2-50Inner Contact Attachment MethodCaptivated

Inner Contact Plating Silver

Interface 7-16 DIN Male

Mounting Angle Straight

Outer Contact Attachment Method Self-clamping

Outer Contact PlatingSilverPressurizableNo

Dimensions

 Height
 36.07 mm | 1.42 in

 Length
 52.32 mm | 2.06 in


COMMSCOPE®

F2PDM-C

Diameter 36.07 mm | 1.42 in

Nominal Size 3/8 in

Outline Drawing



Electrical Specifications

3rd Order IMD Test Method

3rd Order IMD at Frequency -112 dBm @ 910 MHz

Two +43 dBm carriers

Average Power at Frequency 0.7 kW @ 900 MHz

Cable Impedance50 ohmConnector Impedance50 ohm

dc Test Voltage 2300 V

Inner Contact Resistance, maximum 0.4 mOhm

Insulation Resistance, minimum 10000 MOhm

Operating Frequency Band 0 – 6000 MHz

Outer Contact Resistance, maximum 1.5 mOhm

Peak Power, maximum 13.2 kW

RF Operating Voltage, maximum (vrms) 813 V

Shielding Effectiveness -110 dB



F2PDM-C

VSWR/Return Loss

Frequency Band VSWR Return Loss (dB)

45–2000 MHz 1.052 31.92

Mechanical Specifications

Connector Retention Tensile Force 671.68 N | 151 lbf

Connector Retention Torque3.7 N-m32.748 in lbCoupling Nut Proof Torque35 N-m309.776 in lb

Coupling Nut Proof Torque Method IEC 61169-16:9.3.11

Coupling Nut Retention Force 1000 N | 224.81 lbf

Coupling Nut Retention Force Method IEC 61169-17:9.3.11

Insertion Force 889.64 N | 200 lbf

Insertion Force Method IEC 61169-16:9.3.5

Interface Durability 500 cycles

Interface Durability Method IEC 61169-4:17

Mechanical Shock Test Method IEC 60068-2-27

Environmental Specifications

Operating Temperature $-55 \,^{\circ}\text{C} \text{ to } +85 \,^{\circ}\text{C} \, (-67 \,^{\circ}\text{F to } +185 \,^{\circ}\text{F})$

Storage Temperature $-65 \,^{\circ}\text{C}$ to $+125 \,^{\circ}\text{C}$ (-85 $^{\circ}\text{F}$ to $+257 \,^{\circ}\text{F}$)

Attenuation, Ambient Temperature 20 °C | 68 °F

Average Power, Ambient Temperature 40 $^{\circ}\text{C}$ | 104 $^{\circ}\text{F}$

Average Power, Inner Conductor Temperature 100 °C | 212 °F

Corrosion Test Method IEC 60068-2-11

Immersion Depth 1 m

Immersion Test Mating Mated

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test Method IEC 60068-2-3

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6



F2PDM-C

Packaging and Weights

Weight, net $123~\mathrm{g}~\mid~0.271~\mathrm{lb}$

* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

