LIPTM



TNC Male for 1/4 in LDF1-50 cable

Product Classification

Product TypeWireless and radiating connector

Product Brand HELIAX®
Product Series LDF1-50

General Specifications

Body Style Straight

Cable Family LDF1-50

Inner Contact Attachment Method Solder

Inner Contact Plating Silver

Interface TNC Male

Mounting AngleStraightOuter Contact Attachment MethodSelf-flareOuter Contact PlatingTrimetalPressurizableNo

Dimensions


 Length
 43.94 mm | 1.73 in

 Diameter
 16.51 mm | 0.65 in

Nominal Size 1/4 in

Outline Drawing





Electrical Specifications

3rd Order IMD at Frequency-112 dBm @ 910 MHz3rd Order IMD Test MethodTwo +43 dBm carriersAverage Power at Frequency0.6 kW @ 900 MHz

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage1500 VInner Contact Resistance, maximum1.5 mOhmInsulation Resistance, minimum5000 MOhm

Operating Frequency Band 0 - 6000 MHz

Outer Contact Resistance, maximum0.4 mOhmPeak Power, maximum5 kW

RF Operating Voltage, maximum (vrms) 500 V
Shielding Effectiveness -110 dB

VSWR/Return Loss

Frequency Band VSWR Return Loss (dB)

824–2700 MHz 1.032 36.06

Mechanical Specifications

COMMSCOPE®

LIPTM

Connector Retention Tensile Force 449.27 N | 101 lbf

Coupling Nut Proof Torque 1.7 N-m | 15.046 in lb

Coupling Nut Proof Torque Method IEC 61169-16:9.3.11

Coupling Nut Retention Force 445 N | 100.04 lbf

Coupling Nut Retention Force Method IEC 61169-16:9.3.11

Insertion Force 66.72 N | 15 lbf

Insertion Force Method IEC 61169-16:9.3.5

Interface Durability 500 cycles

Interface Durability Method IEC 61169-4:17

Mechanical Shock Test Method IEC 60068-2-27

Environmental Specifications

Operating Temperature $-55 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ ($-67 \,^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Storage Temperature -65 °C to +125 °C (-85 °F to +257 °F)

Attenuation, Ambient Temperature $20~^{\circ}\text{C} + 68~^{\circ}\text{F}$

Average Power, Ambient Temperature 40 °C | 104 °F

Average Power, Inner Conductor Temperature 100 °C | 212 °F

Corrosion Test Method IEC 60068-2-11

Immersion Depth 1 m

Immersion Test Mating Mated

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test Method IEC 60068-2-3

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Packaging and Weights

Agency

Weight, net 80 g | 0.176 lb

Regulatory Compliance/Certifications

<i>3</i> ,	
CHINA-ROHS	Below maximum concentration value

Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

COMMSCOPE®

I 1PTM

ROHS

Compliant

UK-ROHS

Compliant





* Footnotes

Immersion Depth

Immersion at specified depth for 24 hours

