



## RBA72-36 Battery Cabinet, 48V, VRLA/TEC

- Reduced power consumption through thermoelectric cooling
- Reduced maintenance; no compressor or filters
- Single, bulk busbar assembly
- Sealed to outside environment
- Double wall construction

## Product Classification

**Product Type** Power back-up enclosure

## Dimensions

**Depth** 991 mm | 39 in  
**Height** 1829 mm | 72 in  
**Weight** 295 kg | 650 lb  
**Width** 914 mm | 36 in  
**Weight, with batteries, typical** 1769 kg | 3900 lb

## General Specifications

**Access** Rear panels (2)  
**Alarm Output** Circuit breaker | High temperature | Intrusion | Thermoelectric cooling  
**Batteries** Not included  
**Batteries Supported** 180 A-h batteries  
**Battery String Current, maximum** 1080 A-h @ -48 Vdc  
**Battery Strings, quantity** 6 @ -48 Vdc  
**Cabinet Type** Battery back-up cabinet  
**Color** Gray  
**Cooling Options** Thermoelectric cooling  
**Finish** Powder coated

## Electrical Specifications

**Voltage** -48 Vdc

## Battery Dimensions

**Depth** 558.8 mm | 22.0 in  
**Height** 320.0 mm | 12.6 in  
**Width** 124.5 mm | 4.9 in

## Environmental Specifications

**Qualification Standards**      Telcordia GR-487

## Regulatory Compliance/Certifications

<b>Agency</b>	<b>Classification</b>
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system

