C-LN-20G Fiber Cable by CommScope

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1169709146112

CLASSIFICATION: 33 82 23 Optical Fiber Communications Transmission and Distribution Cabling PRODUCT DESCRIPTION: Product Name: Indoor/Outdoor LSZH Mini Single Jacket Communication and Data Wires and Cables Product

Characteristics: - Indoor/outdoor cables are tough enough for outdoor use while also being listed for indoor use - Superior mechanical and optical performance with unmatched stability and quality

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials MethodBasic Method
- Threshold Disclosed Per
- C Material
- O Product
- Threshold Level
 100 ppm
 ⊙ 1,000 ppm
 Per GHS SDS
 Other
- **Residuals/Impurities Evaluation**
- Completed
- C Partially Completed
- Not Completed
- Explanation(s) provided : • Yes O No

Basic Method / Product Threshold

For all contents above the threshold, the r	manufacturer has:
Characterized	• Yes O No
Provided weight and role.	
Screened	⊙ Yes ⊖ No
Provided screening results using HPDC-a	pproved
methods.	
Identified	• Yes • No
Provided name and CAS RN or other iden	ntifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

C-LN-20G FIBER CABLE [POLYETHYLENE TEREPHTHALATE (PET) LT-P1 POLYTETRAMETHYLENE TEREPHTHALATE LT-UNK C18-C50 **BRANCHED, CYCLIC AND LINEAR HYDROCARBONS - DISTILLATES** LT-UNK | MAM HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346 LT-P1 | MUL | CAN | SKI | DEV FATTY ACIDS, CASTOR-OIL, CAUSTIC-OXIDIZED, DISTN. RESIDUES, ESTERS WITH 1,3-BUTANEDIOL NoGS ALUMINUM HYDROXIDE, DRIED BM-2 | SKI | EYE CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK SILICON DIOXIDE BM-1 | CAN | MAM 2-PROPENOIC ACID, 2-HYDROXYETHYL ESTER, POLYMER WITH 1,1'-METHYLENEBIS(4-ISOCYANATOCYCLOHEXANE) AND 2-**OXEPANONE NoGS BISPHENOL A-EPICHLOROHYDRIN ACRYLATE** BM-1 | MUL BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE, HYDROGENATED LT-UNK DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA] LT-UNK 2-PROPENOIC ACID, 2-PHENOXYETHYL ESTER LT-P1 | MUL ISOBORNYL ACRYLATE LT-P1 | SKI | MUL POLY(OXY-1,2-ETHANEDIYL), .ALPHA.-(1-OXO-2-PROPEN-1-YL)-.OMEGA.-(4-NONYLPHENOXY)-, BRANCHED LT-UNK | SKI | EYE 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | MUL | EYE | AQU 2,4,6-TRIMETHYLBENZOYL DIPHENYLPHOSPHINE OXIDE LT-1 | MUL | PBT | REP QUARTZ BM-1 | CAN | MAM | GEN IRON, ELEMENTAL LT-P1 | END HYDROXYCYCLOHEXYL PHENYL KETONE LT-UNK EYE DIPROPYLENE GLYCOL DIACRYLATE LT-UNK | SKI | EYE TRIMETHYLOLPROPANE TRIACRYLATE LT-P1 | SKI | MUL | CAN | REP | EYE | AQU GERMANIUM NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1, LT-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified? © Yes © No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2025-01-22 PUBLISHED DATE: 2025-01-26 EXPIRY DATE: 2028-01-22 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

-LN-20G FIBER CABLE				
RODUCT THRESHOLD: 1000) ppm RESIDUALS AN	D IMPURITIES E	EVALUATION COM	PLETED: Yes
ESIDUALS AND IMPURITIES	NOTES: Residuals and Impurities wer	e considered and	d determined to be b	pelow the 1000 ppm threshold.
THER PRODUCT NOTES:				
POLYETHYLENE TEREPHT	HALATE (PET)			ID: 25038-59- 9
HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD S	CREENING DATE: 2025-01-25 11:04:27
%: 42.1737 Gr	eenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Insulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
				listings found on Additional Hazard Lists

HAZARD DATA SC	URCE: Pha	ros Chemical and Materials Library		HAZARD SC	REENING DATE:	2025-01-25 11:03:14
%: 9.8541	GreenS	creen: LT-UNK	RC: None	NANO: No	SUBSTANCE	ROLE: Filler
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS		
None found				No warn	ings found on HPD	Priority Hazard Lists
ADDITIONAL LIS	TINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found				No I	istings found on Ad	dditional Hazard Lists
SUBSTANCE NO	TES:					
C18-C50 BRANCH DISTILLATES	ED, CYCLIC	AND LINEAR HYDROCARBONS -				ID: 848301-69- §
HAZARD DATA SC	URCE: Pha	ros Chemical and Materials Library		HAZARD SC	REENING DATE:	2025-01-25 11:20:48

None found		No listings found on Additional Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
МАМ	GHS - Australia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS

HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346

HAZARD DATA SOURCE: Ph	aros Chemical and Materials Librar	у	HAZARD SC	CREENING DATE: 2025-01-25 11:11:32	
%: 8.8109 Green	Screen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances Haz Waters	zardous to	Class 2 - Hazard to	o Waters	
CAN	GHS - Australia		H350 - May cause or 1B]	cancer [Carcinogenicity - Category 1A	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation Category 2]		
DEV	GHS - Australia		H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST Cradle to Cradle Products (C2CPII)		vation Institute	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
			Children's Products	S	
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	vation Institute		Product Standard Restricted ISL) - Effective July 1, 2022	
			Formulated Consul	mer Products	
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	vation Institute	C2C Certified v4.1 Substances - Effec	Product Standard Restricted tive July 1, 2024	
			All Products		
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	vation Institute	C2C Certified v4.1 Substances - Effec	Product Standard Restricted tive July 1, 2024	
			Cosmetics and Per	rsonal Care Products	

SUBSTANCE NOTES:

FATTY ACIDS, CASTOR-OIL, CAUSTIC-OXIDIZED, DISTN. RESIDUES, ESTERS WITH 1,3-BUTANEDIOL

ID: 113669-95-7

ID: 64742-54-7

%: 6.4311 Gree	enScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No v	varnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	l
None found				No listings found on Additional Hazard Lists

- 6

ALUMINUM HYDROXIDE, DRIED

ID: 21645-51-2

4.8949 Green	Screen: BM-2 RC: Nor	e NANO: No	SUBSTANCE ROLE: Coating
AZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
KI	GHS - New Zealand	Skin irritation cate	gory 2
EYE	GHS - New Zealand	Eye irritation cate	gory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institu (C2CPII)) Product Standard Restricted RSL) - Effective July 1, 2022
		Biological and Env	vironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institu (C2CPII)) Product Standard Restricted RSL) - Effective July 1, 2022
		Children's Product	ts
RESTRICTED LIST	Cradle to Cradle Products Innovation Institu (C2CPII)	C2C Certified v4.1 Substances - Effe	Product Standard Restricted ctive July 1, 2024
		Children's Toy Pro	oducts
SUBSTANCE NOTES:			

CONTINUOUS FIL	ID: 65997-17-3			
HAZARD DATA SO	URCE: Pharos Chemical and Materials Librar	у	HAZARD	SCREENING DATE: 2025-01-22 23:48:01
%: 3.1329	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No w	varnings found on HPD Priority Hazard Lists

ADDITIONAL LISTING	S LIST NAME AND SOU	RCE	NOTIFICATION		
EXEMPT	European Union / Euro	pean Commission (EU	EU - REACH Exe	mptions	
	EC)		Exempted from R safety	EACH Annex V listing due to intrinsic	
SUBSTANCE NOTES	:				
SILICON DIOXIDE				ID: 7631-86- 9	
HAZARD DATA SOUR	CE: Pharos Chemical and Material	s Library	HAZARD S	SCREENING DATE: 2025-01-25 11:19:3	
%: 3.1303	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive	
HAZARD TYPE	LIST NAME AND SOU	RCE	WARNINGS		
CAN	GHS - Japan		H350 - May cause	e cancer [Carcinogenicity - Category 1A]	
CAN GHS - Australia			H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]		
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicit following repeated exposure - Category 1]		
МАМ	GHS - Australia			amage to organs through prolonged or re [Specific target organ toxicity - re - Category 1]	
ADDITIONAL LISTING	S LIST NAME AND SOU	RCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy I	nstitute (GSPI)	GSPI - Six Classe	es Precautionary List	
			Antimicrobials		
SUBSTANCE NOTES	:				
	2-HYDROXYETHYL ESTER, POLYM 4-ISOCYANATOCYCLOHEXANE) A			ID: 52404-33-	
AZARD DATA SOUR	CE: Pharos Chemical and Material	s Library	HAZARD S	SCREENING DATE: 2025-01-26 23:57:3	
%: 2.9000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Coating	
HAZARD TYPE	LIST NAME AND SOU	RCE	WARNINGS		

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

SUBSTANCE NOTES:

BISPHENOL A-EPICHLOROHYDRIN ACRYLATE

ID: 55818-57-0

HAZARD DATA SOURCE: Phare	HAZARD DATA SOURCE: Pharos Chemical and Materials Library			CREENING DATE: 2025-01-22 23:42:22	
%: 1.0812 GreenS	%: 1.0812 GreenScreen: BM-1 RC: None		NANO: No SUBSTANCE ROLE: Coating		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances Hazard Waters	dous to	Class 3 - Severe H	lazard to Waters	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovat (C2CPII)	ion Institute		Product Standard Restricted RSL) - Effective July 1, 2022	
			Core Restrictions		
RESTRICTED LIST	International Living Future Institute	e (ILFI)	Living Building Cha Chemicals - Effecti	allenge 4.0 - Red List of Materials & ive April 1, 2024	
			Red List substance V4.0 projects	es to avoid in Living Building Challenge	

SUBSTANCE NOTES:

BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-ID: 68648-89-5 **BUTADIENE, HYDROGENATED** HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-01-22 23:50:32 %: **0.9790** GreenScreen: LT-UNK RC: None SUBSTANCE ROLE: Filler NANO: No HAZARD TYPE LIST NAME AND SOURCE WARNINGS None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION None found No listings found on Additional Hazard Lists SUBSTANCE NOTES: DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% ID: 61790-53-2 OF CRYSTALLINE SILICA] HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-01-22 23:45:43 GreenScreen: LT-UNK %: 0.6297 RC: None NANO: No SUBSTANCE ROLE: Filler

C-LN-20G Fiber Cable

HPD v2.3 created via HPDC Builder Page 7 of 17

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
SUBSTANCE NOTES:		

2-PROPENOIC ACID, 2-PHENOXYETHYL ESTER

HAZARD DATA SOURCE: Pharos Chemical and Materials Library					HAZARD SC	REENING DATE:	2025-01-26 23:56:41
%: 0.6200	GreenScre	en: LT-P1	RC: None		NANO: No	SUBSTANCE	ROLE: Filler
HAZARD TYPE		LIST NAME AND SOURCE		WA	RNINGS		
MUL		German FEA - Substances Haz Waters	ardous to	Clas	ss 3 - Severe Ha	azard to Waters	
ADDITIONAL LISTING	àS	LIST NAME AND SOURCE		NO	TIFICATION		
None found					No li	stings found on A	dditional Hazard Lists

SUBSTANCE NOTES:

	OURCE: Pharos	Chemical and Materials Libra	ary	HAZARD S	CREENING DATE: 2025-01-22 23:44:39
%: 0.6195	GreenScree	en: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS	
SKI		MAK		Sensitizing Substa	nce Sh - Danger of skin sensitization
MUL		German FEA - Substances H Waters	azardous to	Class 3 - Severe H	lazard to Waters
ADDITIONAL LIS	TINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found				No	listings found on Additional Hazard Lists
SUBSTANCE NO	TES:				
POLY(OXY-1,2-ET .OMEGA(4-NON)		PHA(1-OXO-2-PROPEN-1-YI RANCHED	L)-		ID: 678991-31-6

ID: 48145-04-6

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

1,6-HEXANEDIOL DIACRYLATE

ID: 13048-33-4

NANO: No SUBSTANCE ROLE: Coating VARNINGS Gensitizing Substance Sh - Danger of skin sensitization Class 3 - Severe Hazard to Waters 1315 - Causes skin irritation [Skin corrosion/irritation - category 2] 1319 - Causes serious eye irritation [Serious eye amage/eye irritation - Category 2A] skin irritation category 2 cye irritation category 2 1315 - Causes skin irritation [Skin corrosion/irritation - category 2A] skin irritation category 2 1315 - Causes skin irritation [Skin corrosion/irritation - category 2]
Sensitizing Substance Sh - Danger of skin sensitization Class 3 - Severe Hazard to Waters 1315 - Causes skin irritation [Skin corrosion/irritation - Category 2] 1319 - Causes serious eye irritation [Serious eye amage/eye irritation - Category 2A] 1316 - Causes skin irritation category 2 1315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
Class 3 - Severe Hazard to Waters (315 - Causes skin irritation [Skin corrosion/irritation - Category 2] (319 - Causes serious eye irritation [Serious eye amage/eye irritation - Category 2A] (kin irritation category 2 (ye irritation category 2 (315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
I315 - Causes skin irritation [Skin corrosion/irritation - Category 2] I319 - Causes serious eye irritation [Serious eye amage/eye irritation - Category 2A] Iskin irritation category 2 Eye irritation category 2 I315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
Category 2] I319 - Causes serious eye irritation [Serious eye amage/eye irritation - Category 2A] Skin irritation category 2 Eye irritation category 2 I315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
amage/eye irritation - Category 2A] ikin irritation category 2 iye irritation category 2 I315 - Causes skin irritation [Skin corrosion/irritation - category 2]
ye irritation category 2 1315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
I315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
Category 2]
I319 - Causes serious eye irritation [Serious eye amage/eye irritation - Category 2A]
kin sensitisation category 1
1400 - Very toxic to aquatic life [Hazardous to the aquatic nvironment (acute) - Category 1]
I410 - Very toxic to aquatic life with long lasting effects Hazardous to the aquatic environment (chronic) - Category 1]
IOTIFICATION
Haz Cate

ID: 75980-60-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-01-22 23:54:17	
%: 0.4811 GreenS	Screen: LT-1 F	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardo Waters	ous to	Class 3 - Severe Ha	azard to Waters
РВТ	ChemSec - SIN List		PBT / vPvB (Persis Persistent & very Bi	tent, Bioaccumulative, & Toxic / very ioaccumulative)
REP	EU - GHS (H-Statements) Annex 6	Table 3-1	H361f - Suspected toxicity - Category 2	of damaging fertility [Reproductive 2]
REP	EU - Annex VI CMRs		Reproductive Toxic	ity - Category 2
REP	GHS - Australia		H361f - Suspected toxicity - Category 2	of damaging fertility [Reproductive 2]
REP	EU - SVHC List		Toxic to reproduction	on - Candidate list
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovatio (C2CPII)	n Institute		Product Standard Restricted SL) - Effective July 1, 2022
			Children's Products	

QUARTZ				ID: 14808-60-7
HAZARD DATA S	SOURCE: Pharos Chemical and Materia	Is Library	HAZARD SO	CREENING DATE: 2025-01-25 10:59:39
%: 0.4723	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		
IRON, ELEMENTAL		ID: 7439-89-6
HAZARD DATA SOURCE: Pr	naros Chemical and Materials Library	HAZARD SCREENING DATE: 2025-01-22 23:51:48
%: 0.4458 Green	nScreen: LT-P1 RC: N	one NANO: No SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION

None found

No listings found on Additional Hazard Lists

HYDROXYCYCLOHEXYL PHENYL KETONE

ID: 947-19-3

ID: 57472-68-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2025-01-22 23:57:53	
%: 0.4088 Gre	eenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation categ	Jory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES:

DIPROPYLENE GLYCOL DIACRYLATE

%: 0.3225	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
/0. 0.0220			10/1100.110	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation categ	gory 2
EYE	GHS - New Zealand		Eye irritation categ	ory 2
ADDITIONAL LISTING	S LIST NAME AND SOURCE		NOTIFICATION	

TRIMETHYLOLP	PROPANE TRIACRYLATE			ID: 15625-89-5
HAZARD DATA S	SOURCE: Pharos Chemical and Materials	s Library	HAZARD S	CREENING DATE: 2025-01-25 11:00:55
%: 0.1800	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	МАК	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	IARC	Group 2b - Possibly carcinogenic to humans
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
SUBSTANCE NOTES:		

GERMANIUM		ID: 7440-56-4		
HAZARD DATA SOURCE: F	haros Chemical and Materials Librar	у	HAZARD	SCREENING DATE: 2025-01-22 23:53:03
%: 0.1574 Gree	enScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			١	No listings found on Additional Hazard Lists

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Inherently non-emitting source per LEED

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All facilities. CERTIFICATE URL: ISSUE DATE: 2025-01-23 00:00:00 EXPIRY DATE: CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES:

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

CommScope (NASDAQ: COMM) helps design, build and manage wired and wireless networks around the world. Corporate responsibility and sustainability drive us to make decisions that benefit people, society, the planet and our bottom line. We enable faster, smarter and more sustainable solutions while respecting human and natural resources. Innovative technology, intelligent engineering and energy-efficient design help us meet our goals. CommScope builds sustainable networks that make our customers more agile, simultaneously helping to preserve the natural ecosystems from which we source components and materials.

MANUFACTURER INFORMATION

MANUFACTURER: CommScope ADDRESS: Claremont Claremont, California 6010 COUNTRY: United States WEBSITE: www.CommScope.com CONTACT NAME: Hatch, Nathan TITLE: Snr Principal Engineer PHONE: 8284595468 EMAIL: nhatch@commscope.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled contentPostC Post-consumer recycled contentUNK Inclusion of recycled content is unknownNone Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List TranslatorTM, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

C-LN-20G Fiber Cable

for compliance with the HPD standard noted.