created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1841705633792

CLASSIFICATION: 33 82 23 Optical Fiber Communications Transmission and Distribution Cabling

PRODUCT DESCRIPTION: Product Name: Indoor/Outdoor Dual Rated (OFNR/LSZH) Communication and Data Wires and Cables, Distribution Cable Product Characteristics: - Indoor/outdoor cables are tough enough for outdoor use while also being listed for indoor use - Superior mechanical and optical performance with unmatched stability and quality

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm

€ 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

Z-DS FIBER CABLE [ETHYLENEVINYLACETATE COPOLYMER LT-UNK CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-P1 LIMESTONE BM-3dg POLYOLEFIN FIBERS NoGS KEVLAR LT-UNK | CAN BIS(2-ETHYLHEXYL)HEXANEDIOATE LT-P1 | END | CAN | AQU | REP RUTILE TITANIUM DIOXIDE LT-1 | CAN CARBON BLACK BM-1 | CAN | EYE | MAM | PHY DIPROPYLENE GLYCOL DIACRYLATE LT-UNK | SKI | EYE BISPHENOL A-EPICHLOROHYDRIN ACRYLATE BM-1 | MUL CI 21100 LT-P1 | PBT POLYACRYLIC ACID, SODIUM SALT LT-UNK | EYE | CAN | MAM]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1, LT-1, BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: Inherently non-emitting source per LEED

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

VERIFIER: **VERIFICATION #:**

PREPARER: Self-Prepared

SCREENING DATE: 2025-01-22 PUBLISHED DATE: 2025-01-27 EXPIRY DATE: 2028-01-22

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

Z-DS FIBER CABLE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.

OTHER PRODUCT NOTES:

SUBSTANCE NOTES:

ETHYLENEVINYLACETATE COPOLYMER ID: 24937-78-8 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-01-26 23:08:21 GreenScreen: LT-UNK SUBSTANCE ROLE: Adhesive %: 34.6997 RC: None NANO: No **WARNINGS** HAZARD TYPE LIST NAME AND SOURCE No warnings found on HPD Priority Hazard Lists None found ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION None found No listings found on Additional Hazard Lists

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: **65997-17-3**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD	SCREENING DATE:	2025-01-26 23:15:42	
%: 28.3648	GreenScre	een: LT-UNK	RC: None	NANO: No	SUBSTANCE ROL	E: Flame retardant
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS		
None found				No w	arnings found on HPD	Priority Hazard Lists
ADDITIONAL LISTING	GS	LIST NAME AND SOURCE		NOTIFICATION	I	
EXEMPT		European Union / European C	commission (EU	EU - REACH E	kemptions	
		20)		Exempted from safety	REACH Annex V listin	ng due to intrinsic

POLYETHYLENE TEREPHTHALATE (PET)

SUBSTANCE NOTES:

ID: 25038-59-9

HAZARD DATA SOURCE	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 2025-01-26 23:09:34	
%: 12.9136	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Insulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

LIMESTONE						ID: 1317-65-3
HAZARD DATA SOUF	RCE: Pharos (Chemical and Materials Library	/	HAZARD S	SCREENING DATE:	2025-01-26 23:05:30
%: 5.4302	GreenScreen	BM-3dg	RC: None	NANO: No	SUBSTANCE R	ROLE: Adhesive
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS		
None found				No wai	rnings found on HPD	Priority Hazard Lists
ADDITIONAL LISTIN	GS	LIST NAME AND SOURCE		NOTIFICATION		
None found				No	o listings found on Ad	dditional Hazard Lists
SUBSTANCE NOTES	S:					

POLYOLEFIN FIBERS				ID: 308070-21-5
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD S	CREENING DATE: 2025-01-26 23:16:57
%: 5.0846	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wari	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTING	GS LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES	:			

KEVLAR				ID: 26125-61-1
HAZARD DATA SOUI	RCE: Pharos Chemical and Materials Library		HAZARD SC	REENING DATE: 2025-01-26 23:10:49
%: 4.8367	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coating

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
SUBSTANCE NOTES:		

BIS(2-ETHYLHEXYL)HEXANEDIOATE

ID: 103-23-1

HAZARD DATA SOURCE: PI	naros Chemical and Materials Library	HAZARD SCREENING DATE: 2025-01-27 0:36:14
%: 1.4500 Gree	nScreen: LT-P1 RC: I	None NANO: No SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	US EPA - IRIS Carcinogens	(1986) Group C - Possible human Carcinogen
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents
SUBSTANCE NOTES:		

RUTILE TITANIUM DIOXIDE

ID: **1317-80-2**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-01-26 23:06:18
%: 1.2621 GreenScreen: LT-1 RC: None NANO: No SUBSTANCE ROLE: Adhesive

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES:

CARBON BLACK	ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-01-26 23:07:1		
%: 1.2092	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE	E	WARNINGS		
CAN	US CDC - Occupational Ca	arcinogens	Occupational Card	cinogen	
CAN	MAK		Carcinogen Group but not sufficient for	o 3B - Evidence of carcinogenic effects or classification	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure ro		
CAN	IARC		Group 2b - Possibly carcinogenic to humans		
EYE	GHS - New Zealand	Eye irritation category 2		gory 2	
CAN	GHS - New Zealand	GHS - New Zealand Carcinoge		arcinogenicity category 2	
CAN	GHS - Japan		H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -	
MAM	GHS - Japan		repeated exposure	amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]	
PHY	GHS - Japan			ng;; may catch fire [Self-heating nixtures - Category 1]	
ADDITIONAL LISTING	GS LIST NAME AND SOURCE	E	NOTIFICATION		
None found			No	listings found on Additional Hazard Lists	
SUBSTANCE NOTES	:				

DIPROPYLENE GLYCOL DIACRYLATE

ID: 57472-68-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library				HAZARD S	SCREENING DATE: 2025-01-26 23:14:25
%: 0.7690	GreenScree	en: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS	
SKI		GHS - New Zealand		Skin irritation cate	egory 2
EYE		GHS - New Zealand		Eye irritation cate	gory 2
ADDITIONAL LISTIN	NGS	LIST NAME AND SOURCE		NOTIFICATION	
None found				No	o listings found on Additional Hazard Lists
SUBSTANCE NOTE	:Q.				

HAZARD DATA SOURCE:	Pharos Chemical and Materials	HAZARD SCREENING DATE: 2025-01		
%: 0.7295	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOUR	CE	WARNINGS	
MUL	German FEA - Substance Waters	es Hazardous to	Class 3 - Severe H	Hazard to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOUR	CE	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Product (C2CPII)	s Innovation Institute		Product Standard Restricted RSL) - Effective July 1, 2022
			Core Restrictions	
RESTRICTED LIST	International Living Futur	e Institute (ILFI)	Living Building Ch Chemicals - Effect	allenge 4.0 - Red List of Materials & tive April 1, 2024
			Red List substanc V4.0 projects	es to avoid in Living Building Challenge

CI 21100 ID: 5102-83						
HAZARD DATA SOL	JRCE: Pharos Chemical and Materials Librar	HAZARD SCREENING DATE: 2025-01-26 23:12:04				
%: 0.5426	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
PBT	PBT EC - CEPA DSL		Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans			

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted
	(020111)	Substances - Effective July 1, 2024
	(020111)	Cosmetics and Personal Care Products

SUBSTANCE NOTES:

POLYACRYLIC ACID, SODIUM SALT

ID: 9003-04-7

HAZARD DATA SOURC	E: Pharos Chemical and Materials Libra	HAZARD S	HAZARD SCREENING DATE: 2025-01-27 0:35:3		
%: 0.3800	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
EYE	GHS - New Zealand	GHS - New Zealand		Eye irritation category 2	
CAN GHS - Japan			H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
ADDITIONAL LISTING	S LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additional Hazard Lists	
SUBSTANCE NOTES:					

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Inherently non-emitting source per LEED

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All facilities. ISSUE DATE: 2025-01-23 00:00:00

CERTIFIER OR LAB: None

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

EXPIRY DATE:

No accessories are required for this product.

Section 5: General Notes

CommScope (NASDAQ: COMM) helps design, build and manage wired and wireless networks around the world. Corporate responsibility and sustainability drive us to make decisions that benefit people, society, the planet and our bottom line. We enable faster, smarter and more sustainable solutions while respecting human and natural resources. Innovative technology, intelligent engineering and energy-efficient design help us meet our goals. CommScope builds sustainable networks that make our customers more agile, simultaneously helping to preserve the natural ecosystems from which we source components and materials.

MANUFACTURER INFORMATION

MANUFACTURER: CommScope

ADDRESS: Claremont Claremont, California 6010 COUNTRY: United States WEBSITE: www.CommScope.com CONTACT NAME: Hatch, Nathan TITLE: Snr Principal Engineer

PHONE: **8284595468**

EMAIL: nhatch@commscope.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material **Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

