
CL-0610-U



Universal Cable Ladder Kit, 20 in x 10 ft, 6-hole rung

Product Classification

Product Type

Ladder kit

General Specifications

Cable Runs, quantity6MountingRound and angle legs

Dimensions


Height	76.2 mm 3 in
Width	508 mm 20 in
Length	3048 mm 120 in



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025

CL-0610-U

Outline Drawing



Material Specifications

Material Type Hot dip galvanized steel

Packaging and Weights

Included Attachment kits | Ladder | Splice plates

Packaging quantity

25.9 kg | 57.1 lb

Regulatory Compliance/Certifications

1

Agency

Weight, net

Classification

Page 2 of 3



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025

CL-0610-U

CHINA-ROHS

ISO 9001:2015

ROHS

UK-ROHS



Included Products

HK-CL-U

Universal Cable Ladder Hardware Kit for 1 in to 4-1/2 in round or angle members

Designed, manufactured and/or distributed under this quality management system

Above maximum concentration value

Compliant/Exempted

Compliant/Exempted





©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025